

Midas Outer Envelopes are currently sold in Germany, Poland, Greece, Denmark, Portugal, England and various other countries in Europe, South America, Africa, Gulf Countries and Asia. These envelopes are designed for durability to help retreaders reduce their cost per cure.

Midas has envelopes suitable for retreading both radial tyres and bias tyres. Choose an envelope from the Midas range that suits your retreading system and reduce your cost per cure.

FOR RADIAL TYRE RETREADING

1. OUTER ENVELOPES FOR INNER & OUTER ENVELOPE RETREADING SYSTEM

The outer envelope skirt extends below the sidewall of the tyre but does not extend down to the tyre bead (refer picture on back page).

Sl. No.	Code		Dimensions		Tyre Size (Suggested)
			O.D	B.B	
1	44x16	MM INCH	1113 44	916 36	13-20, 365/80-20, 15-22.5
2	44X19 SL-12	MM INCH	1113 44	833 32.8	12-20, 13-22.5, 385/65-22.5, 12-24
3	42X19 SL-11/12	MM INCH	1065 42	729 29	11-20, 12-22.5, 315/80-22.5, 11-24.5, 285/75-24.5
4	40X18 SL-11	MM INCH	1018 40	704 28	295/80-22.5, 315/75-22.5, 11-22.5, 305/70-22.5, 425/55-19.5
5	40X19 SL10	MM INCH	1018 40	660 26	10-20, 275/70-22.5, 275/80-22.5
6	40x21 SL-9	MM INCH	1013 40	610 24	9-20, 10-22.5, 305/70-19.5, 305/60-22.5
7	34X13 SL-76	MM INCH	860 34	540 21	8.25-15, 8.25-16, 245/70-19.5, 265/70-19.5
8	31X18 SL-7	MM INCH	785 31	445 18	7.50-16, 215/75-16, 235/70-17.5, 8.5-17.5, 7.50-15, 245/70-19.5
9	28X16 SL-6	MM INCH	703 28	465 18	7.00-15, 215-15, 235/75-15, 205/75-16, 7.00-16, 215/75-17.5, 8-17.5
10	26X16 SL-4	MM INCH	659 26	361 14	6.00-16, 195-14, 175/75-16, 7.00-17.5, 185-16, 185-15, 6.00-14
11	25X16 SL-2	MM INCH	656 25	333 13	165-14, 165/70-14, 175-14, 185/70-14, 7.00-12, 175/70-14, 750-10
12	19X11 SL-0	MM INCH	477 19	288 11	18X7-8, 5.00-8

2. OUTER ENVELOPES FOR ARC OR SURE LOCK SYSTEM

The outer envelope skirt extends 2.5 inches below the tyre bead on each side.

Sl. No.	Code		Dimensions		Tyre Size (Suggested)
			O.D	B.B	
1	44X16	MM INCH	1113 44	916 36	315/80-22.5, 12- 22.5, 10- 22, 12- 24.5, 11- 24.5
2	42X15	MM INCH	1065 42	818 32	11- 22.5, 275/80-24.5, 285/75-24.5
3	40X17	MM INCH	1018 40	733 29	10-22.5, 295/70-22.5, 11/70-22.5

FOR RETREADING USING VARIOUS RIM & TUBE SYSTEMS

1. EXTENDED SKIRT ENVELOPE ('XL' TYPE)

Matches Indian Electric Bonder, Flexcure, Elick High Flange Rims and Oliver Rim Type Systems. The outer envelope skirt extends down to the tyre bead.

Sl. No.	Code		Dimensions		Tyre Size (Suggested)
			O.D	B.B	
1	44X16	MM INCH	1113 44	916 36	12-20,385/65-22.5,13-22.5
2	44X19	MM INCH	1113 44	833 32.8	12-22.5, 11-22, 11-24.5, 11- 22.5
3	42X15	MM INCH	1065 42	818 32	11-20, 315/80-22.5, 10-22
4	42X18	MM INCH	1065 42	755 30	10-20, 305/70-22.5, 315/70-22.5, 295/80-22.5
5	40X17	MM INCH	1018 40	733 29	9-20, 275/80-22.5, 305/70-19.5, 10 -22.5,265/75- 22.5
6	34X13	MM INCH	860 34	540 21	8.50-17.5, 7.50-16, 205-16, 235/75 -17.5

2. LONG SKIRT ENVELOPE

Matches Indian Electric Bonder, Bandag, Super Tread, Horizon, and Vulcan B Systems. The outer envelope skirt extends to 2 inches above the tyre bead on each side.

Sl. No.	Code		Dimensions		Tyre Size (Suggested)
			O.D	B.B	
1	44x16	MM INCH	1113 44	916 36	13-20, 365/80-20, 14/80-20, 12-24
2	44x19	MM INCH	1113 44	833 32	12-20, 12-22.5, 12.00-24, 11-24, 13/80-20, 315/80-22.5, 285/75-24.5
3	44x22	MM INCH	1113 44	752 29	11-24.5, 12-24.5, 11.00-24, 12-22.5, 10-22, 11-22
4	42x15	MM INCH	1065 42	818 32	11-20, 315/80-20, 315/80-22.5
5	42X18	MM INCH	1065 42	755 30	10-20, 295/80-22.5, 12/80-20,11-22.5, 12/80-22.5
6	40x17	MM INCH	1018 40	733 29	9-20, 275/80-22.5, 305/70-19.5, 10-22.5, 295/75-22.5, 265/75-22.5
7	34x13	MM INCH	860 34	540 21	7.50-16, 7.00-16, 825-15, 825-16, 245/70-19.5
8	34x17	MM INCH	865 34	446 18	6.50-20, 7.00-20, 7.00-18
9	31x18	MM INCH	785 31	445 18	7.00-15, 235/75-15
10	28x16	MM INCH	703 28	465 18	6.00-16, 195-14, 195-15
11	26x16	MM INCH	659 26	361 14	5.90-15, 6.00-14, 5.20-14, 165-14, 185-14
12	25x16	MM INCH	656 25	333 13	4.50-12, 155-12, 155/80-13, 165/70-13, 145-12

3. SHORT SKIRT ENVELOPES

Matches Indian Steam Bonder, Longmile, Oliver and Vulcan A systems. The envelope skirt is about 5 inches above the tyre bead on each side.


Sl. No.	Code		Dimensions		Tyre Size (Suggested)
			O.D	B.B	
1	44x28	MM INCH	1113 44	65 24	12-22.5, 11-20, 10-22, 11-24.5, 12-24.5, 315/80-22.5, 11-22, 11-24, 12-20
2	42x29	MM INCH	1065 42	530 21	10-20, 11-22.5, 275/80-24.5, 295/80-22.5, 285/75-24.5
3	40x25	MM INCH	1018 40	570 22	9-20, 9.5-20
4	40x21	MM INCH	1013 40	610 24	275/80-22.5, 295/75-22.5, 10-22.5
5	34X17	MM INCH	865 34	446 18	8.25-16, 8.25-15, 9.00-16, 245/70-19.5, 6.50-20
6	31x18	MM INCH	785 31	445 18	7.50-16, 7.00-16, 7.00-15, F78-15
7	29x19	MM INCH	729 29	361 14	6.00-16, 6.70-15, 6.50-16, 235/70-15
8	26x17	MM INCH	665 26	312 12	5.90-15, 195/70-15, 195/70-14, 215/70-14, 155-13
9	25x16	MM INCH	636 25	333 13	5.20-14, 6.70-14, 175-13, 165-14, 185-14, 175-13, 195-13
10	21x12	MM INCH	522 21	286 11	4.50-12, 5.65-12, 145-12, 155-12, 165/70-13, 6.50-10
11	19x11	MM INCH	477 19	288 11	5.00-8, 4.50-10

CURING BAGS

Sl. No.	Sizes
1	13.6X28
2	12.4X28
3	11.00X20
4	10.00X20
5	9.00X20
6	8.25X20
7	8.25X16
8	7.50X16
9	7.00X15
10	6.00X16
11	6.00X14
12	5.90X15
13	5.65/4.50X12
14	4.50X10
15	4.00X8

INNER TUBES

Sl. No.	Size
1	10.00X20
2	9.00X20
3	7.50X16



midas
ENVELOPES

For more information contact

Manoj Mathews

P. John Zachariah Building, Kottayam - 686 001, Kerala, India

Phone: 91-481-2561215, Fax: 91-481-2561155

Website: www.midas.co.in, E-mail: manoj@midastreads.com

info@midastreads.com (Export Division)

sales@midastreads.com (Domestic Division)