

BUS & LIGHT TRUCK

	D-167-E			
	mm	mm	m	kg/m
	219	15.0	3.23	3.71
	203	15.0	3.25	3.22

	H-85			
	mm	mm	m	kg/m
	203	13.5	3.25	3.16

	M-23			
	mm	mm	m	kg/m
	220	9.5	10.50	2.75
	210	9.5	10.50	2.57

	BCRDL			
	mm	mm	m	kg/m
	230	15.0	3.75	4.37
	215	15.0	3.75	4.00
	212	10.0	3.23	2.79
	190	11.0	3.15	2.70

	D-167-P			
	mm	mm	m	kg/m
	230	17.0	3.23	4.05
	219	17.0	3.21	4.13
	203	17.0	3.21	3.83

	M-9			
	mm	mm	m	kg/m
	240	13.0	10.50	3.86
	230	13.0	10.50	3.71

WITH WINGS


	M-24			
	mm	mm	m	kg/m
	220	12.0	10.50	3.22
	215	12.0	10.50	3.10
	203	12.0	10.50	2.91

	DE			
	mm	mm	m	kg/m
	219	19.0	3.24	4.22
	203	19.0	3.25	3.97

	H			
	mm	mm	m	kg/m
	203	14.5	3.26	3.52
	194	14.5	3.23	3.28

	M-14			
	mm	mm	m	kg/m
	200	13.0	10.50	2.86
	190	13.0	10.50	3.05
	180	13.0	10.50	2.48
	170	13.0	10.50	2.44

	R-2			
	mm	mm	m	kg/m
	255	14.0	3.73	4.58
	240	14.0	10.50	4.18
	235	14.0	3.73	4.00
	230	14.0	10.50	4.06
	225	15.0	3.73	4.00
	220	15.0	10.50	4.08
	215	14.5	3.73	3.89
	210	15.0	10.50	3.71
	200	15.0	3.20	3.63
	195	15.0	3.20	3.59
	185	13.5	3.15	3.17
	158	11.5	2.51	2.19
	148	11.5	2.51	1.99



MIXED APPLICATION

MIPAS	M-6			
	mm	mm	m	kg/m
	230	15.0	3.75	4.05
	215	15.0	3.75	3.76

MIPAS	MML (H)			
	mm	mm	m	kg/m
	270	21.0	3.40	6.18
	260	21.0	10.50	5.99
	250	21.0	10.50	5.76
	240	21.0	10.50	5.41

MIPAS	MAXIMUS (L)			
	mm	mm	m	kg/m
	260	14.0	3.75	4.40
	250	14.0	7.50	4.27
	240	14.0	7.50	3.93
	235	14.0	10.50	3.67
	230	14.0	10.50	3.57
	225	14.0	7.50	3.51
	220	14.0	3.73	3.54
	215	15.0	10.50	3.63
	215	14.0	7.50	3.47
	210	15.0	10.50	3.43
	205	14.0	3.75	3.09
	194	13.5	3.15	3.17
	190	16.0	3.15	3.49
	187	13.5	3.15	3.05
	160	11.0	2.51	2.23
	150	11.0	2.51	1.99

MIPAS	GRD L			
	mm	mm	m	kg/m
	240	17.0	10.50	4.09
	230	17.0	10.50	3.91
	220	17.0	10.50	3.79

MIPAS	M-16 (H)			
	mm	mm	m	kg/m
	270	21.0	3.40	6.68
	260	21.0	10.50	6.15
	250	21.0	10.50	6.14
	240	21.0	10.50	5.71

MIPAS	MML (L)			
	mm	mm	m	kg/m
	260	18.0	10.50	5.30
	250	18.0	10.50	5.10
	240	18.0	10.50	4.76
	*240	14.0	3.75	
	230	17.0	10.50	4.66
	*230	14.0	3.75	
	220	17.0	10.50	4.26
	*215	14.0	3.75	
	210	14.0	3.25	3.38

*Coming Soon

MIPAS	PC-1			
	mm	mm	m	kg/m
	240	15.0	3.73	4.26
	230	15.0	3.73	4.02
	215	15.0	3.73	3.83

MIPAS	M-5			
	mm	mm	m	kg/m
	240	14.5	3.75	3.79
	230	14.5	3.75	3.55
	220	16.5	10.50	3.90
	*220	14.0	3.75	
	215	16.5	10.50	3.77
	*215	14.0	3.75	





*Coming Soon





MIPAS	M-16 (L)			
	mm	mm	m	kg/m
	260	18.0	10.50	5.57
	250	18.0	10.50	5.31
	240	18.0	10.50	4.71
	*240	14.0	3.75	
	*230	14.0	3.75	
	*215	14.0	3.75	

*Coming Soon

MIPAS	MAXIMUS (H)			
	mm	mm	m	kg/m
	265	16.0	10.50	5.00
	250	16.0	10.50	4.53
	240	16.0	10.50	4.46
	235	19.0	10.50	4.90
	235	15.0	3.75	4.10
	230	16.0	10.50	4.22
	225	16.0	3.73	4.10
	220	16.0	10.50	4.05
	210	16.5	3.23	3.96


MIPAS	XZYP			
	mm	mm	m	kg/m
	219	14.5	3.23	3.70
	203	14.5	3.21	3.36
	194	14.5	3.27	3.27

ZL-2				
	mm	mm	m	kg/m
	220	21.0	10.50	4.70
	210	21.0	10.50	4.36
	200	21.0	10.50	4.19


Z-LUG (H)				
	mm	mm	m	kg/m
	240	21.0	10.50	5.62
	240	19.0	10.50	5.00
	*232	22.0	10.50	
	230	19.0	10.50	4.70

*Coming Soon



Z-LUG (L)				
	mm	mm	m	kg/m
	250	14.5	3.73	4.21
	240	16.0	3.73	4.45
	235	14.0	3.73	3.70
	230	14.0	3.73	3.67
	225	16.0	3.73	4.08
	220	16.0	3.73	4.02
	215	16.0	3.73	3.97
	210	16.0	3.73	3.89
	205	14.0	3.23	3.40
	195	15.0	3.15	3.62
	160	13.0	2.51	2.43
	124	12.0	2.29	1.66







SPECIAL APPLICATION

DB TREAD				
	mm	mm	m	kg/m
	305	12.6	10.50	4.76
	230	16.0	3.10	4.45
	205	22.0	3.25	5.17
	200	14.0	2.40	3.33
	175	14.0	3.20	3.30
	140	14.0	2.40	2.42

DL				
	mm	mm	m	kg/m
	290	16.0	3.86	5.44

GARTIC				
	mm	mm	m	kg/m
	330	15.5	3.86	6.89
	295	15.5	3.86	5.93

GRML				
	mm	mm	m	kg/m
	320	20.0	3.86	6.09
	300	18.0	3.86	5.41
	290	18.0	3.86	5.18

MOTR				
	mm	mm	m	kg/m
	*550	23.0	4.16	11.06

* Available as
275 mm + 275 mm = 550 mm

MZL				
	mm	mm	m	kg/m
	390	16.0	3.50	6.28

TRACTION

MIPAS MILPAC	M-2			
	E mm	U mm	m	kg/m
	250	18.0	10.50	4.86
	240	18.0	3.75	4.37

MIPAS MILPAC	M-10			
	E mm	U mm	m	kg/m
	280	21.0	3.40	6.56
	270	21.0	3.40	6.09
	260	19.0	10.50	5.16
	250	19.0	10.50	4.92
	240	19.0	10.50	4.71
	230	19.0	10.50	4.52
	220	15.0	3.28	3.41
	210	15.0	3.28	3.32

MIPAS MILPAC	M-22			
	E mm	U mm	m	kg/m
	230	16.5	10.50	4.06
	220	16.5	10.50	3.79
	215	16.5	10.50	3.81
	204	16.5	10.50	3.60

MIPAS MILPAC	GRTA			
	E mm	U mm	m	kg/m
	250	17.0	3.28	4.82
	240	17.0	3.28	4.70
	230	17.0	3.28	4.58

WITH WINGS

MIPAS MILPAC	M-4			
	E mm	U mm	m	kg/m
	260	18.0	10.50	5.10
	250	18.0	10.50	4.71
	240	18.0	10.50	4.55
	230	18.0	10.50	4.35

MIPAS MILPAC	M-12			
	E mm	U mm	m	kg/m
	270	17.0	3.73	5.50
	260	17.0	3.73	5.28

MIPAS MILPAC	PSD			
	E mm	U mm	m	kg/m
	*240	20.0	4.00	5.00
	220	20.0	4.00	5.00


*Coming Soon

MIPAS MILPAC	M-1			
	E mm	U mm	m	kg/m
	260	19.0	10.50	5.05
	250	19.0	10.50	4.93
	240	19.0	10.50	4.72
	230	19.0	10.50	4.43





MIPAS MILPAC	M-8			
	E mm	U mm	m	kg/m
	260	19.0	10.50	4.87
	250	19.0	10.50	4.70
	240	19.0	10.50	4.52

MIPAS MILPAC	M-19			
	E mm	U mm	m	kg/m
	240	19.0	3.75	4.99
	230	19.0	3.75	4.59

MIPAS MILPAC	ZZ			
	E mm	U mm	m	kg/m
	250	18.0	10.50	4.62
	240	18.0	10.50	4.23
	230	18.0	10.50	3.95




WINTER

				DNM	
				mm	kg/m
260	21.0	3.30	6.06		
250	21.0	3.30	5.91		
240	21.0	3.30	5.45		

				M-17	
				mm	kg/m
250	22.0	3.75	6.00		
240	22.0	3.75	5.81		

				M-20	
				mm	kg/m
270	20.0	3.73	5.63		
260	20.0	3.73	5.50		
250	20.0	3.73	5.36		
240	20.0	3.45	5.07		
230	20.0	3.45	4.93		








OFF ROAD

				GPZH	
				mm	kg/m
270	32.0	10.50	8.31		
260	19.0	10.50	5.48		
250	22.0	10.50	5.91		
240	19.0	10.50	4.86		
*232	22.0	10.50			

*Coming Soon

				LOG LUGGER	
				mm	kg/m
240	21.0	3.73	5.36		
220	17.0	3.73	4.07		
210	15.0	3.73	3.46		

				M-3	
				mm	kg/m
240	19.0	10.50	4.90		



M-15					
		mm	mm	m	kg/m
		260	16.0	10.50	5.49
		250	16.0	10.50	5.24

WITH WINGS

MGO					
		mm	mm	m	kg/m
		295	15.0	3.30	5.24

WITH WINGS

NZA-2A					
		mm	mm	m	kg/m
		230	12.0	10.50	3.50
		220	12.0	10.50	3.45
		210	12.0	10.50	3.15

WITH WINGS

M-5 (B)					
		mm	mm	m	kg/m
		305	15.0	10.50	5.62
		295	15.0	3.73	5.63

WITH WINGS

M-18					
		mm	mm	m	kg/m
		295	15.0	3.34	5.54

WITH WINGS

MNS					
		mm	mm	m	kg/m
		295	13.5	3.30	4.79
		287	13.5	3.30	4.85

WITH WINGS

PLND					
		mm	mm	m	kg/m
		295	13.0	3.28	4.57
		285	13.0	10.50	4.55

WITH WINGS

M-7					
		mm	mm	m	kg/m
		320	13.0	10.50	5.48
		295	13.0	3.45	4.78

WITH WINGS

M-18 NEW					
		mm	mm	m	kg/m
		287	15.0	3.28	5.26

CROSS SECTION

WITH WINGS

NZA-2A					
		mm	mm	m	kg/m
		*245	15.0	10.50	4.40
		235	15.0	10.50	
		*225	15.0	10.50	

*Coming Soon

WINGS TREAD					
		mm	mm	m	kg/m
		340	11.0	10.00	4.60